

NYS DOH Measure Basement Screening Levels (October 2019)

County	City/Village/Town	Location	Homes Screened	Radon Screening Concentration (pCi/L)				Percent Homes		
				Average	GEO Mean	GEO Std Dev	Maximum	<4 pCi/L	≥4 & <20 pCi/L	≥20 pCi/L
ALLEGANY	ALFRED	Basement	38	3.98	2.19	3.23	26.4	27	10	1
ALLEGANY	ALLEN	Basement	1	8.5	8.5	1	8.5	0	1	0
ALLEGANY	ALMA	Basement	6	6.98	1.88	7.05	30	4	1	1
ALLEGANY	ALMOND	Basement	19	7.49	4.84	2.65	25.7	9	9	1
ALLEGANY	AMITY	Basement	34	13.88	6.86	4.62	45.2	9	16	9
ALLEGANY	ANDOVER	Basement	43	11.51	5.82	3.74	40.4	16	16	11
ALLEGANY	ANGELICA	Basement	5	17.52	12.48	2.76	40.1	1	3	1
ALLEGANY	BELFAST	Basement	15	11.18	3.78	3.21	117.2	7	7	1
ALLEGANY	BOLIVAR	Basement	28	7.74	3.97	3.81	27.4	13	12	3
ALLEGANY	BURNS	Basement	19	28.81	6.32	6.03	216.6	8	6	5
ALLEGANY	CANEADEA	Basement	23	3.19	1.93	2.89	14	18	5	0
ALLEGANY	CENTERVILLE	Basement	3	5.27	4.58	1.87	9.4	2	1	0
ALLEGANY	CLARKSVILLE	Basement	6	5.58	3.5	3.29	10.8	3	3	0
ALLEGANY	CUBA	Basement	44	12.46	5.92	3.46	81.1	16	20	8
ALLEGANY	FRIENDSHIP	Basement	10	17.97	9.6	3.44	65.8	2	5	3
ALLEGANY	GENESEE	Basement	5	5.18	3.57	2.86	10.9	2	3	0
ALLEGANY	GRANGER	Basement	2	1.3	1.24	1.57	1.7	2	0	0
ALLEGANY	GROVE	Basement	2	1.75	0.98	5.33	3.2	2	0	0
ALLEGANY	HUME	Basement	39	8.32	5.12	2.86	42.6	15	21	3
ALLEGANY	INDEPENDENCE	Basement	6	5.83	4.21	2.44	15.5	3	3	0
ALLEGANY	NEW HUDSON	Basement	2	1.5	1.2	2.67	2.4	2	0	0
ALLEGANY	RUSHFORD	Basement	11	4.1	2.01	3.66	23.9	9	1	1
ALLEGANY	SCIO	Basement	15	12.91	5.65	4.51	48.1	7	4	4
ALLEGANY	W. ALMOND	Basement	3	2.5	2.47	1.2	2.8	3	0	0
ALLEGANY	WARD	Basement	6	12.47	6.19	4.26	26.4	3	1	2
ALLEGANY	WELLSVILLE	Basement	153	11.94	5.46	3.7	113.8	59	74	20
ALLEGANY	WILLING	Basement	6	16.52	12.69	2.36	38.1	1	4	1
ALLEGANY	WIRT	Basement	2	1.25	1.2	1.5	1.6	2	0	0
CATTARAUGUS	ALLEGANY	Basement	200	12.06	5.34	3.55	275.9	84	82	34
CATTARAUGUS	ASHFORD	Basement	26	9.92	3.67	3.88	94.4	13	10	3
CATTARAUGUS	CARROLLTON	Basement	15	2.56	1.7	2.99	5.9	10	5	0
CATTARAUGUS	COLDSRING	Basement	8	10.84	4.77	3.78	42.5	5	1	2
CATTARAUGUS	CONEWANGO	Basement	15	2.8	1.85	2.45	13.3	12	3	0
CATTARAUGUS	DAYTON	Basement	13	4.09	2.71	2.65	12.6	9	4	0
CATTARAUGUS	E. OTTO	Basement	4	10	3.35	5.2	34.6	3	0	1
CATTARAUGUS	ELLCOTTVILLE	Basement	28	7.95	4.41	3.02	40	15	10	3
CATTARAUGUS	FARMERSVILLE	Basement	3	18.23	2.01	17.48	53.9	2	0	1
CATTARAUGUS	FRANKLINVILLE	Basement	54	9.25	5.09	3.54	38.2	20	27	7
CATTARAUGUS	FREEDOM	Basement	19	8.16	4.88	2.85	28.4	8	8	3
CATTARAUGUS	GREAT VALLEY	Basement	48	10.56	5.43	3.25	62.1	19	21	8
CATTARAUGUS	HINSDALE	Basement	47	12.01	5.5	3.83	61.5	20	16	11

NYS DOH Measure Basement Screening Levels (October 2019)

County	City/Village/Town	Location	Homes Screened	Radon Screening Concentration (pCi/L)				Percent Homes		
				Average	GEO Mean	GEO Std Dev	Maximum	<4 pCi/L	≥4 & <20 pCi/L	≥20 pCi/L
CATTARAUGUS	HUMPHREY	Basement	7	5.89	4.84	2.05	10.7	3	4	0
CATTARAUGUS	ISCHUA	Basement	13	5.46	4.29	2.06	17.3	5	8	0
CATTARAUGUS	LEON	Basement	9	10.67	5.77	3.28	38.4	4	3	2
CATTARAUGUS	LITTLE VALLEY	Basement	59	15.36	9.85	2.85	64.9	10	35	14
CATTARAUGUS	LYNDON	Basement	6	17.78	3.96	5.33	94.4	5	0	1
CATTARAUGUS	MACHIAS	Basement	39	12.83	5.94	3.84	56.7	17	14	8
CATTARAUGUS	MANSFIELD	Basement	5	7.58	6.6	1.86	11.9	1	4	0
CATTARAUGUS	NAPOLI	Basement	8	1.56	0.68	4.57	6.3	7	1	0
CATTARAUGUS	NEW ALBION	Basement	52	16.96	8.65	3.57	112.1	13	24	15
CATTARAUGUS	OLEAN	Basement	481	7.78	2.96	3.03	522.1	303	154	24
CATTARAUGUS	OTTO	Basement	15	3.83	3.2	1.85	11.6	9	6	0
CATTARAUGUS	PERRYSBURG	Basement	34	6.23	3.55	2.98	22	21	10	3
CATTARAUGUS	PERSIA	Basement	30	5.81	3.73	2.58	21	18	10	2
CATTARAUGUS	PORTVILLE	Basement	62	7.12	4.27	2.8	39.6	31	28	3
CATTARAUGUS	RANDOLPH	Basement	58	9.33	5.73	2.82	51.5	19	31	8
CATTARAUGUS	RED HOUSE	Basement	5	3.28	2.71	2.23	4.6	2	3	0
CATTARAUGUS	SALAMANCA	Basement	92	7.41	4.13	3.03	67.3	42	43	7
CATTARAUGUS	SO. VALLEY	Basement	2	4.45	3.65	2.51	7	1	1	0
CATTARAUGUS	YORKSHIRE	Basement	33	19.78	9.38	3.52	162.7	7	19	7
CHAUTAUQUA	ARKWRIGHT	Basement	2	1.8	1.61	1.97	2.6	2	0	0
CHAUTAUQUA	BUSTI	Basement	41	3.07	1.93	2.55	18.7	33	8	0
CHAUTAUQUA	CARROLL	Basement	34	10.73	7.26	2.73	28.3	11	17	6
CHAUTAUQUA	CHARLOTTE	Basement	3	13.33	8.72	3.8	22.8	1	1	1
CHAUTAUQUA	CHAUTAUQUA	Basement	33	2.44	1.48	3.2	10.9	28	5	0
CHAUTAUQUA	CHERRY CREEK	Basement	9	5.23	2.93	4.56	9.9	4	5	0
CHAUTAUQUA	CLYMER	Basement	26	7.78	4.97	2.86	22.4	12	13	1
CHAUTAUQUA	DUNKIRK	Basement	72	1.86	1.03	2.89	22	66	5	1
CHAUTAUQUA	ELLERY	Basement	23	10.79	2.82	5.86	102.1	14	6	3
CHAUTAUQUA	ELLCOTT	Basement	60	5.35	2.99	2.87	36	38	20	2
CHAUTAUQUA	ELLINGTON	Basement	7	6.56	4.4	2.8	15.4	4	3	0
CHAUTAUQUA	GERRY	Basement	3	10.87	7.37	2.84	24.5	1	1	1
CHAUTAUQUA	HANOVER	Basement	84	4.84	2.4	3.04	97.7	62	19	3
CHAUTAUQUA	HARMONY	Basement	8	2.63	1.47	3.9	9.1	7	1	0
CHAUTAUQUA	JAMESTOWN	Basement	300	4.77	2.41	3.17	74.6	203	89	8
CHAUTAUQUA	KIANTONE	Basement	9	7.26	4.6	3.33	14.9	3	6	0
CHAUTAUQUA	MINA	Basement	3	11.07	7.21	3.9	17.2	1	2	0
CHAUTAUQUA	NO. HARMONY	Basement	23	3.08	2.13	2.78	8	15	8	0
CHAUTAUQUA	POLAND	Basement	10	16.37	8.82	4.4	49.4	3	4	3
CHAUTAUQUA	POMFRET	Basement	141	6.35	2.87	3.3	131.3	89	45	7
CHAUTAUQUA	PORTLAND	Basement	13	5.06	2.82	2.98	18.6	9	4	0

NYS DOH Measure Basement Screening Levels (October 2019)

County	City/Village/Town	Location	Homes Screened	Radon Screening Concentration (pCi/L)				Percent Homes		
				Average	GEO Mean	GEO Std Dev	Maximum	<4 pCi/L	≥4 & <20 pCi/L	≥20 pCi/L
CHAUTAUQUA	RIPLEY	Basement	4	3.88	2.2	3.52	10.8	3	1	0
CHAUTAUQUA	SHERIDAN	Basement	22	11.85	4.16	4.51	57.9	13	4	5
CHAUTAUQUA	SHERMAN	Basement	17	4.19	2.33	3.1	15.7	12	5	0
CHAUTAUQUA	STOCKTON	Basement	18	8.27	5.43	2.96	23.1	5	12	1
CHAUTAUQUA	VILLENOVA	Basement	1	5.3	5.3	1	5.3	0	1	0
CHAUTAUQUA	WESTFIELD	Basement	68	14.33	6.59	3.87	141	25	28	15
ERIE	ALDEN	Basement	130	5.47	1.88	3.75	185.3	102	23	5
ERIE	AMHERST	Basement	956	2.57	1.18	2.93	115.6	853	81	22
ERIE	AURORA	Basement	476	11.37	4.34	3.93	391.1	235	174	67
ERIE	BOSTON	Basement	115	8.74	4.01	4.06	49.9	59	37	19
ERIE	BRANT	Basement	9	12.9	4.13	4.61	78.7	5	3	1
ERIE	BUFFALO	Basement	1,193	1.14	0.6	2.85	63.2	1137	53	3
ERIE	CHEEKTOWAGA	Basement	472	1.04	0.72	2.29	30.8	464	7	1
ERIE	CLARENCE	Basement	277	6.34	2.31	3.72	207.8	195	62	20
ERIE	COLDEN	Basement	46	5.3	3.3	2.59	38	27	17	2
ERIE	COLLINS	Basement	53	12.34	5.27	3.83	115.1	22	21	10
ERIE	CONCORD	Basement	186	15.35	7.56	3.87	163	55	84	47
ERIE	EDEN	Basement	178	6.45	3.27	2.82	206.7	109	60	9
ERIE	ELMA	Basement	301	8.67	3.17	3.54	213.6	188	85	28
ERIE	EVANS	Basement	131	5.83	2.99	3.14	92.3	84	42	5
ERIE	GRAND ISLAND	Basement	98	1.43	1.03	2.31	7.5	95	3	0
ERIE	HAMBURG	Basement	826	4.95	2.24	3.17	136.8	600	186	40
ERIE	HOLLAND	Basement	59	8.26	3.53	3.33	122.9	34	21	4
ERIE	KENMORE	Basement	157	0.75	0.56	2.2	4.8	156	1	0
ERIE	LACKAWANNA	Basement	58	1.27	0.78	2.6	11.4	56	2	0
ERIE	LANCASTER	Basement	211	2.85	1.29	2.74	155.1	190	17	4
ERIE	MARILLA	Basement	242	29.04	9.43	4.98	371.9	79	79	84
ERIE	NEWSTEAD	Basement	95	3.35	2.31	2.38	18	72	23	0
ERIE	NO. COLLINS	Basement	33	7.53	3.73	3.04	75.6	19	12	2
ERIE	ORCHARD PARK	Basement	547	4.69	2.36	2.91	116.9	399	129	19
ERIE	SARDINIA	Basement	27	20.85	7.63	5.33	121.2	9	7	11
ERIE	TONAWANDA	Basement	403	1.03	0.72	2.25	18.9	396	7	0
ERIE	W. SENECA	Basement	308	2.53	1.36	2.79	55.8	267	37	4
ERIE	WALES	Basement	46	11.51	4.02	3.72	181.7	25	17	4
GENESEE	ALABAMA	Basement	17	2.06	1.84	1.72	4.2	16	1	0
GENESEE	ALEXANDER	Basement	31	3.71	2.8	2.21	16	20	11	0
GENESEE	BATAVIA	Basement	350	8.33	3.42	3.16	322.7	218	105	27
GENESEE	BERGEN	Basement	36	10.42	4.93	2.98	122.6	13	20	3
GENESEE	BETHANY	Basement	28	8.57	3.75	2.88	95.2	20	5	3

NYS DOH Measure Basement Screening Levels (October 2019)

County	City/Village/Town	Location	Homes Screened	Radon Screening Concentration (pCi/L)				Percent Homes		
				Average	GEO Mean	GEO Std Dev	Maximum	<4 pCi/L	≥4 & <20 pCi/L	≥20 pCi/L
GENESEE	BYRON	Basement	24	5.56	2.93	2.71	44.8	17	5	2
GENESEE	DARIEN	Basement	48	8.9	2.82	3.09	187.9	34	12	2
GENESEE	ELBA	Basement	26	3.8	2.28	2.56	27.9	19	6	1
GENESEE	LE ROY	Basement	89	6.32	3.31	3.01	47.6	56	26	7
GENESEE	OAKFIELD	Basement	45	3.71	2.73	2.17	17.2	33	12	0
GENESEE	PAVILION	Basement	31	4.01	2.75	2.34	19.2	23	8	0
GENESEE	PEMBROKE	Basement	75	6.58	2.56	3.03	136.1	56	16	3
GENESEE	STAFFORD	Basement	24	16	6.18	4.91	89.6	10	9	5
NIAGARA	CAMBRIA	Basement	18	2.98	1.82	2.6	13.8	14	4	0
NIAGARA	HARTLAND	Basement	18	6.72	2.43	3.79	65.4	11	6	1
NIAGARA	LEWISTON	Basement	151	2.58	1.54	2.73	20.2	128	22	1
NIAGARA	LOCKPORT	Basement	180	2.8	1.47	2.78	50.1	155	21	4
NIAGARA	NEWFANE	Basement	60	3.07	1.92	2.75	16.6	45	15	0
NIAGARA	NIAGARA	Basement	83	1.05	0.75	2.3	6.3	81	2	0
NIAGARA	NIAGARA FALLS	Basement	636	1.37	0.89	2.46	38.6	603	32	1
NIAGARA	NO. TONAWANDA	Basement	202	1.85	1.18	2.59	15.6	179	23	0
NIAGARA	PENDLETON	Basement	20	2.26	1.23	3.03	16.8	19	1	0
NIAGARA	PORTER	Basement	74	2.54	1.58	2.71	20.6	61	12	1
NIAGARA	ROYALTON	Basement	26	2.3	1.56	2.47	11.7	24	2	0
NIAGARA	SOMERSET	Basement	11	2.87	1.85	2.29	15.1	10	1	0
NIAGARA	WHEATFIELD	Basement	36	0.94	0.69	2.25	3.6	36	0	0
NIAGARA	WILSON	Basement	49	1.57	1.08	2.5	9.2	47	2	0
WYOMING	ARCADE	Basement	94	17.08	8.87	3.43	226.2	22	47	25
WYOMING	ATTICA	Basement	52	3.97	2.42	3.19	19.4	33	19	0
WYOMING	BENNINGTON	Basement	24	3.93	2.68	2.54	14.6	15	9	0
WYOMING	CASTILE	Basement	39	3.47	2.36	2.89	9.2	27	12	0
WYOMING	COVINGTON	Basement	10	9.25	3.98	3.41	55.7	6	3	1
WYOMING	EAGLE	Basement	16	10.14	5.22	3.36	51.6	8	6	2
WYOMING	GAINESVILLE	Basement	51	10.69	4.98	3.46	94.3	23	22	6
WYOMING	GENESEE FALLS	Basement	8	2.28	1.88	1.96	4.3	6	2	0
WYOMING	JAVA	Basement	22	13.72	3.85	5.12	137.4	12	6	4
WYOMING	MIDDLEBURY	Basement	29	10.77	5.15	3.69	72	13	11	5
WYOMING	ORANGEVILLE	Basement	6	2.65	1.54	4.3	6.8	5	1	0
WYOMING	PERRY	Basement	33	4.32	3.03	2.77	12.9	20	13	0
WYOMING	PIKE	Basement	13	9.5	5.19	4.42	22	4	8	1
WYOMING	SHELDON	Basement	38	8.59	3.33	4.4	75.1	20	15	3
WYOMING	WARSAW	Basement	115	10.5	5.12	3.3	178.3	48	51	16
WYOMING	WETHERSFIELD	Basement	3	2.07	1.59	2.37	4.2	2	1	0